SDS no. J490 Version 5

Revision date 14-Aug-2017 Supersedes date 21-Sep-2016



Safety Data Sheet EB-Clean* J490 HT Encapsulated Breaker

1. Identification of the substance/preparation and of the Company/undertaking

1.1 Product identifier

Product name EB-Clean* J490 HT Encapsulated Breaker

Product code J490

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Used as a fracturing additive in oilfield applications

Uses advised against Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier

Schlumberger Oilfield Australia Pty Ltd ABN: 74 002 459 225 ACN: 002 459 225 256 St. Georges Terrace, Perth WA 6000 +47 5157 7424

SDS@slb.com

1.4 Emergency Telephone Number

Emergency telephone - (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 595 3518

Denmark	Poison Control Hotline (DK): +45 82 12 12 12
Germany	+49 69 222 25285
Netherlands	National Poisons Information Center (NL): +31 30 274 88 88 (NB: this service is only available to health professionals)

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Health hazards

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 1B
Specific target organ toxicity - Single exposure	Category 3

Environmental hazards Not classified



SDS no. J490 Revision date 14-Aug-2017

Physical Hazards

Oxidizing Solids Category 1

2.2 Label elements



Hazard statements

DANGER

H302 - Harmful if swallowed

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H271 - May cause fire or explosion; strong oxidizer

Precautionary Statements - EU (§28, 1272/2008)

P201 - Obtain special instructions before use

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P221 - Take any precaution to avoid mixing with combustibles

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves and eye/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

Supplementary precautionary statements

P202 - Do not handle until all safety precautions have been read and understood

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P283 - Wear fire/flame resistant/retardant clothing

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P306 + P360 - IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes

P330 - Rinse mouth

P362 - Take off contaminated clothing and wash before reuse

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P410 - Protect from sunlight

P411 - Store at temperatures not exceeding 43 °C/ 110 °F

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

P370 + P378 - In case of fire: Use water spray to extinguish

Contains

Sodium bromate

SDS no. J490 Revision date 14-Aug-2017

2.3 Other hazards

Not classified as PBT/vPvB by current EU criteria

Australian statement of hazardous/dangerous nature

Classified as Hazardous according to the criteria of NOHSC. HAZARDOUS SUBSTANCE. DANGEROUS GOODS.

3. Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Regulation (EC) No 1272/2008	REACH registration number
Sodium bromate	232-160-4	7789-38-0	60 - 100	Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Acute Tox. 4 (H302) Ox. Sol. 1 (H271) STOT. SE. 3(H335) Muta. 2 (H341) Carc. 1B (H350)	No data available

Comments

The product contains other ingredients which do not contribute to the overall classification.

4. First aid measures

4.1 First aid measures

Inhalation If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably

mouth-to-mouth. If breathing is difficult give oxygen. Get immediate medical attention.

Ingestion Rinse mouth. Do not induce vomiting. If conscious, give 2 glasses of water. Get immediate

medical attention.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get medical attention immediately if symptoms occur.

Eye Contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first five minutes, then continue rinsing eye. Seek medical

attention.

4.2. Most important symptoms and effects, both acute and delayed

General advice The severity of the symptoms described will vary dependant of the concentration and the

length of exposure. If adverse symptoms develop, the casualty should be transferred to

hospital as soon as possible.

Symptoms

Schlumberger

EB-Clean* J490 HT Encapsulated Breaker

SDS no. J490 Revision date 14-Aug-2017

-

Inhalation Please see Section 11. Toxicological Information for further information.

Ingestion Please see Section 11. Toxicological Information for further information.

Skin contact Please see Section 11. Toxicological Information for further information.

Eye contact Please see Section 11. Toxicological Information for further information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Deluge with water. Other methods not effective.

Extinguishing media which must not be used for safety reasons

Dry chemical, carbon dioxide and other gas-filled extinguishers.

5.2. Special hazards arising from the substance or mixture

Unusual fire and explosion hazards

May intensify fire; oxidizer.

Hazardous combustion products

Fire or high temperatures create: Oxygen, Bromine, bromine oxides and hydrogen bromide.

5.3 Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

Hazchem code ADG

1Y

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. See also section 8. Avoid breathing dust; if exposed to high dust concentration, leave area immediately.

6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up



SDS no. J490 Revision date 14-Aug-2017

-

Methods for containment

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or tarp to minimize spreading.

Methods for cleaning up

Spilled oxidizer must be removed immediately and isolated for disposal. Isolated material must be monitored for signs of decomposition (fuming/smoking). If spilled material is wet, dissolve with large quantity of water. All disposals must be carried out at the earliest opportunity and in accordance with local /regional /national /international regulations. Take up mechanically and collect in suitable container for disposal. Take precautionary measures against static discharges. Use non-sparking tools and equipment. After cleaning, flush away traces with water.

6.4 Reference to other sections

See section 13 for more information.

7. Handling and storage

7.1 Precautions for safe handling

Handling

Do not handle until all safety precautions have been read and understood. Handle in accordance with good industrial hygiene and safety practice. Follow procedures for safe handling of oxidizers. Keep away from open flames, hot surfaces and sources of ignition. Avoid handling causing generation of dust. Avoid contact with skin and eyes.

Hygiene Measures

Use good work and personal hygiene practices to avoid exposure. Wash hands and face before breaks and immediately after handling the product Remove contaminated clothing. When using do not eat, drink, smoke, sniff

7.2 Conditions for safe storage, including any incompatibilities

ignition.

Storage precautions Oxidizers must be stored separately from all other materials. Keep containers tightly closed

in a dry, cool and well-ventilated place. Protect from moisture Keep away from direct sunlight. Keep at a temperature not exceeding 110 °F /43 °C Keep away from open flames,

hot surfaces and sources of ignition. Oxidizing material - Keep away from flammable and combustible materials. Store away from incompatibles, Oxidizing agents Reducing Agents

Acids Ammonium salts

Storage class Oxidiser storage.

Packaging materials

Use specially constructed containers only. Coated (epoxy phenolic) steel drum or high

density polyethylene (HDPE) can

Packaging materials to be avoided Containers made of MONEL, copper, brass, or iron.

7.3 Specific end uses

See Section 1.2.

8. Exposure controls/personal protection

8.1 Control parameters

Exposure limits NUI = Nuisance dust, TWA 4mg/m³ Respirable Dust, 10mg/m³ Total Dust.

No biological limit allocated



SDS no. J490 Revision date 14-Aug-2017

Chemical Name	EU OEL	Austria	Australia	Denmark
Sodium bromate	Not determined	Not determined	Not determined	Not determined
Chemical Name	Malaysia	France	Germany	Hungary
Sodium bromate	Not determined	Not determined	Not determined	Not determined
Chemical Name	New Zealand	Italy	Netherlands	Norway
Sodium bromate	Not determined	Not determined	Not determined	Not determined
Chemical Name	Poland	Portugal	Romania	Russia
Sodium bromate	Not determined	Not determined	Not determined	Not determined
Chemical Name	Spain	Switzerland	Turkey	UK
Sodium bromate	Not determined	Not determined	Not determined	Not determined

8.2 Exposure controls

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering Controls

Ensure adequate ventilation. Mechanical ventilation or local exhaust ventilation is required.

Personal protective equipment

Eye protection Use eye protection according to EN 166, designed to protect against powders and dusts.

Tightly fitting safety goggles. Safety glasses with side-shields.

Hand protection Wear gloves according to EN 374 to protect against skin effects from powders Use

protective gloves made of: Rubber gloves PVC disposable gloves polyvinyl alcohol or

nitrile-butyl rubber gloves Frequent change is advisable

Respiratory protectionUse the indicated respiratory protection if the occupational exposure limit is exceeded

and/or in case of product release (dust), Half mask with a particle filter P2 (European Norm EN 143 = former DIN 3181), At work in confined or poorly ventilated spaces, respiratory

protection with air supply must be used.

Skin and body protection Wear appropriate personal protective clothing to prevent skin contact, Eye wash and

emergency shower must be available at the work place.

Hygiene Measures Wash hands before eating, drinking or smoking, Remove and wash contaminated clothing

before re-use.









8.2.3 Environmental exposure controls

Environmental exposureUse appropriate containment to avoid environmental contamination See section 6 for more

information

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical stateSolidAppearanceGranulesOdorOdorlessColorWhite

Odor threshold Not applicable



SDS no. J490 Revision date 14-Aug-2017

<u>Property</u> <u>Values</u> <u>Remarks</u>

Melting / freezing point

Boiling point/range

No information available
No information available

Flash point n/a No information available
Evaporation rate (BuAc =1) No information available

Flammability (solid, gas) Not applicable

Flammability Limit in Air

Upper flammability limit
Lower flammability limit
Not applicable
Not applicable

Vapor pressureNo information availableVapor densityNo information available

Specific gravity 2.5

Bulk density 1790 kg/m³

Relative density

No information available

Water solubility Soluble in water

Solubility in other solvents
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity
log Pow

No information available

Explosive propertiesNo information available

Oxidizing properties Oxidizer. Contact with other material may cause fire

9.2 Other information

Pour pointNo information availableMolecular weightNo information available

VOC content(%) None

Density No information available

Comments

The data listed above are typical physical and chemical properties and should not be construed as product specification.

10. Stability and reactivity

10.1 Reactivity

Reacts violently with any compounds containing ammonium salt creating a shock-sensitive explosion.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerization

Hazardous polymerization does not occur.

10.4 Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition. Protect from moisture. Avoid dust formation. Avoid contamination. Keep away from direct sunlight. Keep at a temperature not exceeding 110 °F /43 °C.

10.5 Incompatible materials

SEVERELY incompatible with ammonium salts (explosive). Do not mix oxidizers of any concentration with other oxidizing agents,



SDS no. J490 Revision date 14-Aug-2017

-

reducing agents, flammable or combustible liquids or solids, acids, most metals and heavy metals, oxygen scavengers, corrosion inhibitors, surfactants, gelling agents, fluid-loss additives, cross linkers, solvents, foaming agents, clay control agents, or any chemical not specifically mentioned as being compatible with the specific oxidizer.

10.6 Hazardous decomposition products

See Section 5.2.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Inhalation May cause respiratory irritation.

Eye contact Causes serious eye irritation.

Skin contact Causes skin irritation.

Ingestion Harmful if swallowed.

Unknown acute toxicity Not applicable.

Toxicology data for the components

	Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Γ	Sodium bromate	300 mg/kg	No data available	No data available

Sensitization This product does not contain any components suspected to be sensitizing.

Mutagenic effects Suspected of causing genetic defects.

Carcinogenicity Contains a known or suspected carcinogen.

Reproductive toxicityThis product does not contain any known or suspected reproductive hazards.

Routes of exposure Inhalation. Ingestion. Skin contact. Eye contact.

Routes of entry Inhalation. Skin contact. Eye contact. Ingestion.

Specific target organ toxicity -

Single exposure

Category 3

Specific target organ toxicity -

Repeated exposure

Not classified.

Target organ effects Respiratory system.

Aspiration hazard Not applicable.

12. Ecological information

12.1 Toxicity



SDS no. J490 Revision date 14-Aug-2017

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Toxicity to algae

This product is not considered toxic to algae.

Toxicity to fish

This product is not considered toxic to fish.

Toxicity to daphnia and other aquatic invertebrates

This product is not considered toxic to invertebrates.

Toxicology data for the components

Chemical Name	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Sodium bromate	No information available	No information available	No information available

12.2 Persistence and degradability

No product level data available.

12.3 Bioaccumulative potential

No product level data available.

12.4 Mobility in soil

Mobility

Soluble.

12.5 Results of PBT and vPvB assessment

Not classified as PBT/vPvB by current EU criteria.

12.6 Other adverse effects.

None known.

13. Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

products

Dispose of contents/container to an approved waste disposal plant. In accordance with local and national regulations.

Contaminated packaging

Do not re-use empty containers. Dispose of contents/container to an approved waste

disposal plant.

EWC Waste Disposal No According to the European Waste Catalog, Waste Codes are not product specific, but

application specific Waste codes should be assigned by the user based on the application



SDS no. J490 Revision date 14-Aug-2017

for which the product was used. The following Waste Codes are only suggestions: EWC waste disposal No: 16 03 03 - inorganic wastes containing dangerous substances

14. Transport information

14.1. UN number

UN/ID No. (ADR/RID/ADN/ADG)
UN No. (IMDG/ANTAQ)
UN No. (ICAO/ANAC)
UN1494
UN 1494

14.2. UN proper shipping name SODIUM BROMATE MIXTURE,

14.3 Hazard class(es)

ADR/RID/ADN/ADG Hazard class 5.1
IMDG/ANTAQ Hazard class 5.1
ICAO/ANAC Hazard class/division 5.1

14.4 Packing group



14.5 Environmental hazard

No

14.6 Special precautions

Hazard identification no (ADR) 50
EmS (IMDG) F-H, S-Q
Emergency Action Code (EAC) 1Y
Tunnel restriction code (E)
Hazchem code ADG 1Y

14.7 Transport in bulk according to Annex I/II of MARPOL 73/78 and the IBC Code

Please contact SDS@slb.com for info regarding transport in Bulk.

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Standard for the Uniform Scheduling of Drugs and Poisons

Sodium bromate



SDS no. J490 Revision date 14-Aug-2017

Schedule 6

Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008.

National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC: 2011 (2003)]. National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004) 3rd Edition].

National Occupational Health and Safety Commission's Exposure Standards for Atmospheric Contaminants in the occupational Environment [NOHSC:1003 (1995)].

Safe Work Australia.

Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

ADG Code - Australian Dangerous Goods Code.

Dutch Mining Regulations: In accordance with Mining Regulations 9.2 and Chapter 4 of the Working Conditions Decree.

International inventories

USA (TSCA)	Complies
European Union (EINECS and ELINCS)	Complies
Canada (DSL)	Complies
Philippines (PICCS)	Complies
Japan (ENCS)	Complies
China (IECSC)	Complies
Australia (AICS)	Complies
Korean (KECL)	Complies
New Zealand (NZIoC)	Complies

Europe - REACH

All products supplied from the European Economic Area (EEA) are compliant with the REACH Regulation EC 1907/2006. For products supplied from the EEA, Schlumberger and/or its suppliers have pre-registered and is registering all of the substances that it and/or its suppliers manufactures in or imports into the EEA that are subject to Title II of the REACH Regulation. All products supplied from outside the EEA are subject to REACH only if imported into the EEA. The importer of the products must comply with REACH for each imported substance. Contact REACH@slb.com for REACH information.

Denmark Pr. no: 1164673

15.2 Chemical Safety Report

No information available

16. Other information			
Prepared by	Global Regulatory Compliance - Chemicals (GRC - Chemicals) , Anne Karin (Anka) Fosse		
Supersedes date	21-Sep-2016		
Revision date	14-Aug-2017		
Version	5		



SDS no. J490 Revision date 14-Aug-2017

This SDS has been revised in the following section(s)

All sections No changes with regard to classification have been made.

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H271 - May cause fire or explosion; strong oxidizer

Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.