SDS no. J604 Version 2

Revision date 03/Sep/2015 Supersedes date 12/Nov/2012



Safety Data Sheet Crosslinker J604

1. Identification of the substance/preparation and of the Company/undertaking

1.1 Product identifier

Product name Crosslinker J604

Product code J604

Country Limitations This SDS is not for use in the European Union (EU).

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Used as a fracturing additive in oilfield applications

Uses advised against Consumer use

1.3 Details of the supplier of the safety data sheet

Supplier

Schlumberger Oilfield Australia Pty Ltd ABN: 74 002 459 225 ACN: 002 459 225 256 St. Georges Terrace, Perth WA 6000 +47 5157 7424 SDS@slb.com

1.4 Emergency Telephone Number

Emergency telephone - (24 Hour) Australia +61 2801 44558, Asia Pacific +65 3158 1074, China +86 10 5100 3039, Europe +44 (0) 1235 239 670, Middle East and Africa +44 (0) 1235 239 671, New Zealand +64 9929 1483, USA 001 281 595 3518, Canada 001 613 996 6666

2. Hazards identification

2.1 Classification of the substance or mixture

Classification according to (EC) No. 1272/2008

Health hazards

Acute oral toxicity	Category 4
Specific target organ toxicity (repeated exposure)	Category 2

Environmental hazards Not classified

Physical Hazards Not classified

2.2 Label elements





Signal word WARNING

Hazard statements

H302 - Harmful if swallowed

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician

P314 - Get medical advice/ attention if you feel unwell

P330 - Rinse mouth

Supplementary precautionary statements

P501 - Dispose of contents/container in accordance with local regulations.

Contains

Ethylene Glycol

Sodium tetraborate

Boric acid

2.3 Other data

Not Applicable

Australian statement of hazardous/dangerous nature

Classified as Hazardous according to the criteria of NOHSC.

HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS.

3. Composition/information on ingredients

3.1 Substances

Not Applicable

3.2 Mixtures

Component	EC-No.	CAS-No	Weight % - range	Classification (67/548)	Classification (Reg. 1272/2008)	REACH registration
						number



Ethylene Glycol	203-473-3	107-21-1	10-30	Xn; R48/22	Acute Tox. 4 (H302)	No data available
					STOT Rep. Exp. Cat 2 (H373)	
Sodium tetraborate	215-540-4	1330-43-4	<4.5	Repr.Cat.2; R60-61	Repr. 1B (H360FD)	No data available
Boric acid	233-139-2	10043-35-3	< 1	Rep. Cat 2; R60/61	Repr. 1B (H360FD)	No data available

Ingredient notes

Concentrations Limits: = CAS 1330-43-4, CAS 10043-35-3

Comments

This SDS is not for use in the European Union (EU). The product contains other ingredients which do not contribute to the overall classification.

4. First aid measures

4.1 First-Aid Measures

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

Ingestion IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Get medical attention

immediately if symptoms occur.

Skin contact Wash off immediately with soap and plenty of water. Get medical attention immediately if

symptoms occur.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first five minutes, then continue rinsing eye. Get medical

attention if any discomfort continues.

4.2 Most important symptoms and effects, both acute and delayed

General advice The severity of the symptoms described will vary dependant of the concentration and the

length of exposure. If adverse symptoms develop, the casualty should be transferred to

hospital as soon as possible.

Main symptoms

Inhalation Please see Section 11. Toxicological Information for further information.

Ingestion Please see Section 11. Toxicological Information for further information.

Skin contact Please see Section 11. Toxicological Information for further information.

Eye contact Please see Section 11. Toxicological Information for further information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

5. Fire-fighting measures

5.1 Extinguishing media



Suitable extinguishing media

Use dry chemical, CO₂, water spray or "alcohol" foam.

Extinguishing media which shall not be used for safety reasons

None known.

5.2 Special hazards arising from the substance or mixture

Unusual fire and explosion hazards

None known.

Hazardous combustion products

Thermal decomposition can lead to release of irritating gases and vapors.

5.3 Advice for firefighters

Special protective equipment for fire-fighters

As in any fire, wear self-contained breathing apparatus and full protective gear.

Special Fire-Fighting Procedures

Containers close to fire should be removed immediately or cooled with water.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. See also section 8.

6.2 Environmental precautions

The product should not be allowed to enter drains, water courses or the soil.

Environmental exposure controls

Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and materials for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up

Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. After cleaning, flush away traces with water.

6.4 Reference to other sections

See section 13 for more information.

7. Handling and storage

7.1 Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Do not breathe vapors or spray mist. Avoid spills and splashing during use.

Hygiene measures

Use good work and personal hygiene practices to avoid exposure. Wash hands and face before breaks and immediately after handling the product Remove contaminated clothing. Do not eat, drink or smoke when using this product.



7.2 Conditions for safe storage, including any incompatibilities

Technical measures/precautions Ensure adequate ventilation. Keep airborne concentrations below exposure limits.

Storage precautions Keep containers tightly closed in a dry, cool and well-ventilated place. Avoid heat, flames

and other sources of ignition. Keep away from direct sunlight. Store away from

incompatibles, Strong oxidizing agents

Storage class Chemical storage.

7.3 Specific end uses

See Section 1.2.

8. Exposure controls/personal protection

8.1 Control parameters

Component	EU OEL	Austria	Australia	Denmark
Ethylene Glycol	20 ppm TWA	Not determined	skin notation	10 ppm TWA
	52 mg/m³ TWA		10 mg/m ³ TWA	26 mg/m³ TWA
	40 ppm STEL		(particulate); 20 ppm	10 mg/m³ TWA
	104 mg/m ³ STEL	TWA (vapour); 52 Potential		Potential for cutaneous
	Possibility of significant	ibility of significant mg/m³ TWA (vapour) a		absorption
	uptake through the skin 40 ppm STEL (vapour);			
		104 mg/m³ STEL		
			(vapour)	
Sodium tetraborate	Not determined	Not determined	1 mg/m³ TWA	1 mg/m³ TWA
Boric acid	Not determined	Not determined	Not determined	Not determined

	Component	Malaysia	France	Germany	Hungary
	Ethylene Glycol	39.4 ppm Ceiling aerosol 100 mg/m³ Ceiling aerosol	20 ppm 52 mg/m³	10 ppm TWA 26 mg/m³ TWA	Not determined
	Sodium tetraborate	1 mg/m³ TWA	1 mg/m ³	Not determined	Not determined
Ī	Boric acid	Not determined	Not determined	10 mg/m ³ TWA	Not determined

Component	New Zealand	Italy	Netherlands	Norway
Ethylene Glycol	50 ppm Ceiling mist and vapour 127 mg/m³ Ceiling mist and vapour	Not determined	52 mg/m ³ 10 mg/m ³	10 mg/m³ TWA dust 20 ppm TWA total dust and vapor 52 mg/m³ TWA 104 mg/m³ STEL dust 40 ppm STEL 25 ppm Ceiling (vapor) Skin
Sodium tetraborate	1 mg/m³ TWA	Not determined	Not determined	1 mg/m³ TWA 3 mg/m³ STEL
Boric acid	Not Determined	Not determined	Not determined	Not determined



Component	Poland	Portugal	Romania	Russia
Ethylene Glycol	50 mg/m ³ STEL NDSCh	Skin	20 ppm TWA; 52 mg/m ³	10 mg/m3 STEL aerosol
	15 mg/m³ TWA NDS	40 ppm STEL VLE-CD	TWA	and vapor
		104 mg/m ³ STEL		5 mg/m ³ TWA aerosol
		VLE-CD		and vapor
		20 ppm TWA indicative		
		limit value		
		52 mg/m ³ TWA		
		indicative limit value		
Sodium tetraborate	Not determined	6 mg/m ³ STEL	Not determined	2 mg/m ³ MAC
		inhalable fraction		_
		2 mg/m³ TWA inhalable		
		fraction Borate		
		compounds, inorganic		
Boric acid	Not determined	6 mg/m ³ STEL VLE-CD	Not determined	10 mg/m ³ MAC
		2 mg/m³ TWA		_
		inhalable fraction		

Component	Spain	Switzerland	Turkey	UK
Ethylene Glycol	40 ppm STEL 104 mg/m³ STEL Skin 20 ppm TWA VLA-ED 52 mg/m³ TWA VLA-ED	20 ppm STEL 52 mg/m³ STEL Skin 10 ppm TWA MAK 26 mg/m³ TWA MAK	40 ppm STEL 104 mg/m³ STEL Skin 20 ppm TWA 52 mg/m³ TWA	40 ppm STEL vapour 104 mg/m³ STEL vapour 30 mg/m³ STEL calculated particulate Skin 10 mg/m³ TWA particulates 20 ppm TWA vapour
				52 mg/m³ TWA vapour
Sodium tetraborate	6 mg/m³ VLA-EC 2 mg/m³ VLA-ED	1 mg/m ³ MAK water free inhalable	Not determined	3 mg/m³ STEL calculated 1 mg/m³ TWA
Boric acid	6 mg/m³ STEL 2 mg/m³ TWA VLA-ED	10 mg/m³ STEL inhalable 10 mg/m³ TWA MAK	Not determined	Not determined

Notes

No biological limit allocated

8.2 Exposure controls

All chemical Personal Protective Equipment (PPE) should be selected based on an assessment of both the chemical hazard present and the risk of exposure to those hazards. The PPE recommendations below are based on an assessment of the chemical hazards associated with this product. Where this product is used in a mixture with other products or fluids, additional hazards may be created and as such further assessment of risk may be required. The risk of exposure and need of respiratory protection will vary from workplace to workplace and should be assessed by the user in each situation.

Engineering measures to reduce exposure

Ensure adequate ventilation. Mechanical ventilation or local exhaust ventilation is required.

Personal protective equipment

Eye protection Hand protection

Safety glasses with side-shields. For spills and emergencies, also wear face shield. Use protective gloves made of:, polyvinyl alcohol or nitrile-butyl rubber gloves, Be aware that liquid may penetrate the gloves. Frequent change is advisable.



Respiratory protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators, Use respirator with organic vapor protection (A, brown), At work in confined or poorly ventilated spaces, respiratory protection with air supply must be

used.

Skin and body protection Wear suitable protective clothing, Eye wash and emergency shower must be available at

the work place.

Hygiene measures Wash hands before breaks and immediately after handling the product, Remove and wash

contaminated clothing before re-use.







9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical stateLiquidAppearanceOpaqueOdorOdorlessColorTan

Odor threshold Not applicable

<u>Property</u> <u>Values</u> <u>Remarks</u>

pH 6.5 - 7.2

pH @ dilution

 $\begin{array}{lll} \mbox{Melting/freezing point} & & \sim -34 \ ^{\circ}\mbox{C} \ / \ -30 \ ^{\circ}\mbox{F} \\ \mbox{Boiling point/range} & \mbox{No information available} \\ \end{array}$

Flash point Not Applicable

Evaporation rate (BuAc =1)

Flammability (solid, gas) Not Applicable

Flammability Limits in Air

Upper flammability limitNot applicableLower flammability limitNot applicable

Vapor pressure
Vapor density

No information available
No information available

Specific gravity 1.26 - 1.40

Bulk density
Relative density
Water solubility
Solubility in other solvents
Autoignition temperature
Decomposition temperature
No information available
No information available
No information available
No information available

Kinematic viscosity

Dynamic viscosity

Log Pow

No information available
No information available

Explosive propertiesNot Applicable **Oxidizing properties**None known.

9.2 Other information

Pour point No information available Molecular weight No information available

VOC content(%) < 30

Density 1.27 - 1.37 g/ml (@ 21°C / 70°F)



10. Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

Stable under normal temperature conditions and recommended use.

10.3 Possibility of Hazardous Reactions

Hazardous polymerization

Hazardous polymerization does not occur.

10.4 Conditions to avoid

Avoid heat, flames and other sources of ignition. Keep away from direct sunlight.

10.5 Incompatible materials

Strong oxidizing agents.

10.6 Hazardous decomposition products

See also section 5.2.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system. May

cause additional affects as listed under "Ingestion".

Eye contact May cause temporary eye irritation.

Skin contact Prolonged contact may cause redness and irritation. Components of the product may be

absorbed into the body through the skin.

Ingestion Harmful if swallowed. May cause damage to organs through prolonged or repeated

exposure. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Unknown acute toxicity Not Applicable.

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylene Glycol	4000 - 10200 mg/kg (Rat)	= 9530 μL/kg (Rabbit) = 10600	No data available
		mg/kg (Rat)	
Sodium tetraborate	= 2403 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	No data available
Boric acid	= 2660 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 0.16 mg/L (Rat) 4 h

Sensitization This product does not contain any components suspected to be sensitizing.

Mutagenic effectsThis product does not contain any known or suspected mutagens.



Carcinogenicity This product does not contain any known or suspected carcinogens.

Reproductive toxicityContains a known or suspected reproductive toxin.

Routes of exposure Skin contact. Oral. Inhalation.

Routes of entry Ingestion. Skin absorption. Inhalation.

Specific target organ toxicity

(single exposure)

Specific target organ toxicity

(repeated exposure)

Not classified

Category 2.

Target organ effects Kidney.

Aspiration hazard Not Applicable.

12. Ecological information

12.1 Toxicity

The product component(s) are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Toxicity to algae

See component information below.

Toxicity to fish

See component information below.

Toxicity to daphnia and other aquatic invertebrates

See component information below.

Component	Toxicity to fish	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates
Ethylene Glycol	41000 14 - 18 16000 40761 40000 - 60000 27540	6500 - 13000	46300
Sodium tetraborate	340 mg/L LC50 (Limanda limanda) = 96 h	2.6 - 21.8 mg/L EC50 (Pseudokirchneriella subcapitata) = 96 h 158 mg/L EC50 (Desmodesmus subspicatus) = 96 h	1085 - 1402 mg/L LC50 (Daphnia magna) = 48 h
Boric acid	1020	No information available	115 - 153

12.2 Persistence and degradability

No product level data available.

12.3 Bioaccumulative potential

No product level data available.



12.4 Mobility in soil

Mobility

The product is miscible with water. May spread in water systems.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects.

None known.

13. Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

EWC Waste disposal No.

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used. The following Waste Codes are only suggestions: 16 05 06, 16 05 08 - discarded organic chemicals consisting of or containing dangerous substances.

14. Transport information

14.1 UN Number

Not regulated

14.2 Proper shipping name

The product is not covered by international regulation on the transport of dangerous goods

14.3 Hazard class(es)

ADR/RID/ADN/ADG Hazard class
IMDG Hazard class
ICAO Hazard class/division

Not regulated
Not regulated

14.4 Packing group

ADR/RID/ADN/ADG Packing group

IMDG Packing group

ICAO Packing group

Not regulated
Not regulated
Not regulated





14.5 Environmental hazard

No

14.6 Special precautions

Not Applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Please contact SDS@slb.com for info regarding transport in Bulk.

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Standard for the Uniform Scheduling of Drugs and Poisons

Ethylene Glycol Schedule 6 Schedule 5 Boric acid Schedule 4 Schedule 5

Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

This safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008.

National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC: 2011 (2003)].

National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008 (2004) 3rd Edition].

National Occupational Health and Safety Commission's Exposure Standards for Atmospheric Contaminants in the occupational Environment [NOHSC:1003 (1995)].

Safe Work Australia.

Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by road or rail.

International inventories

USA (TSCA)
European Union (EINECS and ELINCS)
Canada (DSL)
Philippines (PICCS)
Japan (ENCS)
China (IECSC)

Complies
Does not Comply
Complies

Does not Comply Does not Comply Does not Comply





Australia (AICS) Korean (KECL) New Zealand (NZIoC) Complies
Does not Comply
Does not Comply

This SDS is not for use in the European Union (EU). Contact REACH@slb.com for REACH information.

15.2 Chemical Safety Report

No information available

16. Other information

Prepared by Global Regulatory Compliance - Chemicals (GRC - Chemicals), Nicola Anderson

Supersedes date 12/Nov/2012

Revision date 03/Sep/2015

Version 2

The following sections have been

Updated according to GHS/CLP, There have been changes with regard to classification.

revised:

Text of R phrases mentioned in Section 3

R60 - May impair fertility

R61 - May cause harm to the unborn child

R48/22 - Harmful: danger of serious damage to health by prolonged exposure if swallowed

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H373 - May cause damage to organs through prolonged or repeated exposure

H360FD - May damage fertility. May damage the unborn child

Disclaimer

The information contained herein is considered in good faith as reliable of the date issued and is based upon on measurements, tests or data derived from supplier's own study or furnished by others. In providing this SDS information, Supplier makes no express or implied warranties as to the information or product; merchantability or fitness of purpose; any express or implied warranty; or non-infringement of intellectual property rights; and supplier assumes no responsibility for any direct, special or consequential damages, results obtained, or the activities of others. To the maximum extent permitted by law, supplier's warranty obligations and buyer's sole remedies are as stated in separate agreement between the parties.