# Safety Data Sheet

M275



#### Identification of the material and supplier 1.

**Names** 

**Product name** : M275 **Product code** : M275

**ADG** : CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (contains isothiazolones)

**Supplier** : Baker Hughes, Australia

> 5 Walker Street, Braeside, Victoria 3195, Australia

Tel: +613 9580 9004 Fax: +613 9580 6004

**Emergency telephone** number

: CHEMTREC Emergency Telephone Numbers (Australasia Geomarket):

- Australia: (02) 9037 2994 - New Zealand: 9801 0034 - PNG: +(61) 2 9037 2994 - UK: +(44) 870-820-0418

- USA: +(1) 703-527-3887 (CHEMTREC International 24 hour)

**Uses** 

**Material uses** : Biocide.

#### **2** . Hazards identification

Classification : Xn: R20/21/22

> C: R34 R43 N; R51/53

**Risk phrases** : R20/21/22- Harmful by inhalation, in contact with skin and if swallowed.

R34- Causes burns.

R43- May cause sensitisation by skin contact.

R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Safety phrases : S26- In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately

(show the label where possible).

S61- Avoid release to the environment. Refer to special instructions/safety data

sheet.

Statement of hazardous/

dangerous nature

: HAZARDOUS SUBSTANCE. DANGEROUS GOODS.

**GHS Classification** 

Classification of the : ACUTE TOXICITY: ORAL - Category 4

substance or mixture SKIN CORROSION/IRRITATION - Category 1B

SKIN SENSITIZATION - Category 1A

LONG-TERM AQUATIC HAZARD - Category 2

**Hazard pictograms** 







Signal word Danger

Version: Page: 1/8

#### Hazards identification

**Hazard statements** 

: Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Toxic to aquatic life with long lasting effects.

**Precautionary statements** 

General

: Not applicable.

**Prevention** 

: Wear protective gloves. Wear eye or face protection. Wear protective clothing. Avoid release to the environment. Do not breathe dust or mist.

Response

: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER or physician. IF IN EYES: Immediately call a POISON CENTER or physician.

**Storage** 

: Store locked up.

**Disposal** 

: Dispose of contents and container in accordance with all local, regional, national and international regulations.

result in classification

Other hazards which do not : Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eves, skin, nose and throat.

#### 3. Composition/information on ingredients

Ingredient name	CAS number	Concentration
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [CAS No. 26172-55-4] and 2-methyl-2Hisothiazol-3-one [CAS No. 2682-20-4] (3:1)	55965-84-9	5 - 10

Other ingredients, determined not to be hazardous according to Safe Work Australia criteria, and not dangerous according to the ADG Code, make up the product concentration to 100%.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

#### First-aid measures 4.

Inhalation

: Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Ingestion

: Get medical attention immediately. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

**Skin contact** 

Get medical attention immediately. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 15 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

**Eye contact** 

: Obtain immediate medical attention after the following First Aid measures have been administered. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. Chemical burns must be treated promptly by a physician.

Version: Page: 2/8

#### 4. First-aid measures

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

**Advice to doctor** 

: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

### 5. Fire-fighting measures

**Suitable** 

: Use dry chemical powder.

Not suitable

: Do not use water jet.

Special exposure hazards

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. This material is toxic to aquatic organisms. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides

halogenated compounds metal oxide/oxides

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

: 2X

Hazchem code

#### 6. Accidental release measures

**Personal precautions** 

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

**Environmental precautions** 

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Small spill

: Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor.

Large spill

: Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Avoid creating dusty conditions and prevent wind dispersal. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# 7. Handling and storage

Storage

: Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental

Version: 2 Page: 3/8

### 7. Handling and storage

contamination.

### 8. Exposure controls/personal protection

Occupational exposure limits

: No exposure standard allocated.

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

**Engineering measures** 

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Use explosion-proof ventilation equipment.

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eyes** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If operating conditions cause high dust concentrations to be produced, use dust goggles.

**Hands** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Respiratory

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Skin

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### 9. Physical and chemical properties

Physical state : Solid. [Powder.]
Colour : Tan. / Red.
Odour : Faint odour.

**Relative density** : 0.714 to 0.726 (16°C)

Flash point : Closed cup: >93°C (>199.4°F)

#### 10 . Stability and reactivity

**Chemical stability** 

: The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

: Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation. Avoid release to the environment. Refer to special instructions/safety data sheet.

Materials to avoid

: Not available.

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Version: 2 Page: 4/8

#### 10 . Stability and reactivity

#### 11. Toxicological information

Potential acute health effects

**Inhalation**: Harmful by inhalation. May give off gas, vapor or dust that is very irritating or

corrosive to the respiratory system. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

**Ingestion**: Harmful if swallowed. May cause burns to mouth, throat and stomach.

**Skin contact**: Corrosive to the skin. Causes burns. Harmful in contact with skin. May cause

sensitisation by skin contact.

**Eye contact** : Corrosive to eyes. Causes burns.

**Acute toxicity** 

Product/ingredient name Result Species Dose Exposure

Mixture of: LD50 Oral Rat 53 mg/kg -

5-chloro-2-methyl-4-isothiazolin-3-one [CAS No. 26172-55-4] and 2-methyl-2Hisothiazol-3-one [CAS No. 2682-20-4] (3:1)

Conclusion/Summary : Not available.

Potential chronic health effects

**Chronic toxicity** 

**Conclusion/Summary**: Not available.

**Irritation/Corrosion** 

Product/ingredient name Result Species Score Exposure Observation

Mixture of: Skin - Severe Human - 0.01 Percent

5-chloro-2-methyl-4-isothiazolin-3-one irritant

[CAS No. 26172-55-4] and

2-methyl-2Hisothiazol-3-one [CAS No.

2682-20-4] (3:1)

**Conclusion/Summary**: Not available.

**Sensitiser** 

**Conclusion/Summary**: Not available.

Carcinogenicity

**Conclusion/Summary**: Not available.

**Mutagenicity** 

**Conclusion/Summary**: Not available.

**Teratogenicity** 

**Conclusion/Summary**: Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

**Chronic effects** : Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Once sensitized, a severe allergic reaction may occur when subsequently exposed

to very low levels.

**Carcinogenicity** : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.Teratogenicity : No known significant effects or critical hazards.

**Developmental effects**: No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Version: 2 Page: 5/8

#### 11. Toxicological information

Ingestion : Adverse symptoms may include the following: stomach pains Irritation to digestive

system

**Skin**: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

**Eyes** : Adverse symptoms may include the following:

watering redness

Target organs : Contains material which may cause damage to the following organs: blood, upper

respiratory tract, skin, eyes.

#### 12. Ecological information

**Ecotoxicity** : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. Water polluting material. Do not allow any potentially contaminated water, including rain water, runoff from fire fighting or spills, to enter any waterway,

sewer or drain.

**Aquatic ecotoxicity** 

**Conclusion/Summary**: Not available.

Other ecological information Persistence/degradability

**Conclusion/Summary**: Not available.

Other adverse effects: No known significant effects or critical hazards.

#### 13. Disposal considerations

Methods of disposal

: This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

#### 14. Transport information

Regulation	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADG	UN3261	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (contains isothiazolones)	8	II	CORROSIVE	Hazchem code 2X
ADR	UN3261	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (contains isothiazolones)	8	II	***************************************	UK Hazchem: 2X

Version: 2 Page: 6/8

# M275

# 14. Transport information

<u> </u>					
IMDG	UN3261	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (contains isothiazolones)	8	II	-
IATA	UN3261	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (contains isothiazolones)	8	II	-

PG\*: Packing group

# 15. Regulatory information

Standard Uniform Schedule of Medicine and Poisons

Not regulated.

**Control of Scheduled Carcinogenic Substances** 

<u>Ingredient name</u> <u>Schedule</u>

No listed substance

**Australia inventory (AICS)** : All components are listed or exempted.

**EU Classification** : Xn; R20/21/22

C; R34 R43 N; R51/53

Risk phrases : R20/21/22- Harmful by inhalation, in contact with skin and if swallowed.

R34- Causes burns.

R43- May cause sensitisation by skin contact.

R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Safety phrases : S26- In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately

(show the label where possible).

S61- Avoid release to the environment. Refer to special instructions/safety data

sheet.

National regulations : National Code of Practice for the Control of Workplace Hazardous Substances.

National Code of Practice for the Labelling of Workplace Substances. National Code of Practice for the Preparation of Material Safety Data Sheets. Approved

Criteria for Classifying Hazardous Substances.

#### 16. Other information

Date of printing : 1 September 2015.

Date of issue/ Date of : 1 September 2015

revision

Date of previous issue : 17 October 2012

Version : 2

Indicates information that has changed from previously issued version.

*J***isclaimer** 

Version: 2 Page: 7/8

#### 16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Version: 2 Page: 8/8